# Trimble TDC600

HANDHELD



## **KEY FEATURES**

- ► All-in-one GNSS data collector and smartphone
- ► Android<sup>™</sup> 8.0 operating system
- ► 6-inch high resolution sunlight-readable display
- Powerful Qualcomm® processor with 4 GB RAM and 64 GB internal storage
- Large capacity, user replaceable all day battery
- Real-time positioning with built-in GNSS receiver
- Google Mobile Services certified with access to Google Play™ store apps
- Ultra-rugged design with MIL-STD-810G certification
- ▶ 4G LTE, Wi-Fi, Bluetooth® connectivity options for voice calls and data
- Ergonomic, lightweight and slim form factor
- Front- and rear-facing cameras
- Supports the Trimble<sup>®</sup> Catalyst<sup>™</sup> service and Trimble R2 and R1 GNSS receivers
- Runs Trimble, third-party or custom-developed field applications

Learn more: geospatial.trimble.com/tdc600



### STANDARD FEATURES

#### SYSTEM

- Integrated 4G cellular data, text and voice capability
- 5 MP front camera and 13 MP rear camera
- · Bluetooth v 4.1
- Wi-Fi IEEE 802.11 a/b/g/n/ac, 2.4 GHz / 5 GHz dual-band
- 6.0 inch LED-backlight screen with capacitive multi-touch
- Long-life user replaceable Li-lon battery
- 2.2 GHz Qualcomm Snapdragon™ 626 processor
- 4 GB RAM
- · 64 GB flash memory<sup>1</sup>
- · 1 MicroSDHC memory card slot
- · Integrated speaker and microphone

### **OPERATING SYSTEM**

- · Android 8.0 (Oreo)
- Languages available: Afrikaans, Azebaijani, Bulgarian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hindi, Hungarian, Italian, Korean, Lithuanian, Norwegian (Bokmål), Polish, Portuguese (Portugal and Brazil), Romanian, Russian, Serbian (Cyrillic), Simplified Chinese, Spanish, Swedish, Turkish
- · Software package includes: Google Mobile Services

### COMMUNICATIONS<sup>2</sup>

- Cellular: GSM (850/900/1800/1900), WCDMA (B1/B2/B5/B8), LTE-FDD (B1/B2/ B3/B4/B5/B7/B8/B12/B13/B17/B20/B25/B28), LTE-TDD (B38/B39/B40/B41), TD-SCDMA (B34/B39)
- Wi-Fi IEEE 802.11 a/b/g/n/ac
- · Bluetooth 4.1
- NanoSIM x 2
- USB 3.0 (Type-C)
- NFC

### STANDARD ACCESSORIES

- Hand strap
- · A/C charger
- · USB cable
- Lanyard

### **OPTIONAL ACCESSORIES**

- · External magnetic GPS antenna
- Pole bracket
- · Replacement batteries

### SOFTWARE COMPATIBILITY

Please refer to the Product Compatibility matrix. (www.trimble.com/mappingGIS/productcompatibility)

# Trimble TDC600 HANDHELD

++++++++++++++++

### **TECHNICAL SPECIFICATIONS**

### **PHYSICAL**

	. 196 mm x 93.4 mm x 17.2 mm (7.7 in x 3.6 in x 0.67 in) 
	Qualcomm Snapdragon 626, Octa-core,
	Clock frequency: 2.2 GHz
Memory	
Storage <sup>1</sup>	64 GB
User Interface Keyboard	2 volume keys, power key
4 progra	ammable keys, standard Android touch panel 3 buttons,
	On screen keyboard
Battery	Li-Ion removable battery
	Standard capacity 8000 mAh
Battery life	
Charging time	
FNVIRONMENTAL	

### ENVIRONMENTAL

Temperature	
Operating	20 °C to +55 °C (-4 °F to +131 °F)
Storage	40 °C to 70 °C (-40 °F to 158 °F)
Humidity	95% non-condensing
Water & Dust proof	IP67
Free drop	1.2 m (MIL-STD-810G)

Display.....Optically bonded, AF coated, auto rotate

### INPUT/OUTPUT Expansion......MicroSDHC memory card (up to 256 GB)

Size
Resolution
Brightness 500 Cd/m²
Audio
Audio jack through USB-C
Pogo pin connector
I/O USB 3.0, external antenna connector
Digital camera
Rear camera
Front camera

### **GNSS**

GNSS Receiver	U-blox Neo-M8T
Internal antenna: 72 channels	GPS L1 C/A, GLONASS, BeiDou, SBAS
Integrated real-time	SBAS (WAAS/EGNOS/MSAS/GAGAN/QZSS)
Tri constellation system	GPS/GAL, GPS/GLO/GAL or GPS/BeiDou/GAL
External antenna connector	Yes
Protocol	Location Services
	NMEA output (optional)

### ACCURACY SPECIFICATIONS (HORIZONTAL RMS)3

- The actual available capacity of the internal memory is less than the specified capacity because the operating
- system and default applications occupy part of the memory. The available capacity may change when you upgrade applications or the device.

  Bluetooth, wireless LAN and cellular type approvals are country specific. Trimble TDC600 handheld has Bluetooth, wireless LAN and cellular approval in North America and EU. For other countries, please consult your
- Horizontal Root Mean Squared accuracy. Requires data to be collected using vertical mounting, minimum of 4 satellites, PDOP mask at 99, SNR mask at 12 dBHz, elevation mask at 5 degrees, and reasonable multipath conditions. lonospheric conditions, multipath signals or obstruction of the sky by buildings or heavy tree canopy
- may degrade precision by interfering with signal reception.

  SBAS (Satellite Based Augmentation System). Includes WAAS (Wide Area Augmentation System) available in North America only, EGNOS (European Geostationary Navigation Overlay System) available in Europe only, and MSAS available in Japan only

Specifications subject to change without notice

C € Bluetooth<sup>®</sup>

gyrometer, accelerometer, barometer

Contact your local Trimble Authorized Distribution Partner for more information

NORTH AMERICA

Trimble Inc. 10368 Westmoor Dr Westminster CO 80021 USA

**EUROPE** 

Trimble Germany GmbH Am Prime Parc 11 65479 Raunheim **GERMANY** 

### **ASIA-PACIFIC**

Trimble Navigation Singapore PTE Limited 3 HarbourFront Place #13-02 HarbourFront Tower Two Singapore 099254 SINGAPORE

© 2019, Trimble Inc. All rights reserved. Trimble, and the Globe & Triangle logo are trademarks of Trimble Inc., registered in the United States and in other countries. Catalyst is a trademark of Trimble Inc. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Trimble Inc. is under license. Android, Google and Google Play are trademarks of Google LLC. All other trademarks are the property of their respective owners. PN 022516-439B (11/19)

